



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

rebooting settings reading writing "configuratio

[Search](#)

[Advanced Search](#)
[Preferences](#)

W b Results 1 - 10 of about 236 for **rebooting settings reading writing "configuration setting" "host adapt**

Tip: Save time by hitting the return key instead of clicking on "search"

[PDF] [Hardware Installation Guide for the QLA12160 Board](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

NOTE: The Adapter **Configuration setting** in the **Host Adapter Settings** (see. section A.2.1) controls which device **settings** you can **change**. ...

[download.qlogic.com/manual/2272/DC8151101-00C.pdf](#) - [Similar pages](#)

[PDF] [Troubleshooting Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Not Used by. Driver (**Change**. Has No Effect). **Host Adapter Settings** ... character and block driver interfaces for **reading** and. **writing** data to storage and ...

[download.qlogic.com/manual/17851/FC0056702-00A.pdf](#) - [Similar pages](#)

[PDF] [SSuunn OOppeennBBoooott PPRROOMMQQuuiicckk RReeffeerreennccee CCaa](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the boot-device **configuration setting** (seen with the printenv. command). ... **read/write** test. tpe-link-test? true. Enable10baseT link test for built-in ...

[www.azsage.org/present/031302/SunOBP_Quick_Ref.pdf](#) - [Similar pages](#)

[PDF] [ETERNUS3000 ETERNUSmgr User Guide -Settings/Maintenance-](#)

File Format: PDF/Adobe Acrobat

7 When you **change settings** and click the Set button, the following confirma- ... **Reading** and **writing** of multiple disk drives is possible. RAID 0+1 ...

[www.fujitsu.com/downloads/STRSYS/system/e3kmgrm50_setting.pdf](#) - [Similar pages](#)

[PDF] [VMware PerlAPI](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

is a bit vector where 4=**read**, 2=**write**, 1=**execute**. ... Similarly, if you need to find out a particular **configuration setting** for a virtual machine, you can ...

[www.vmware.com/pdf/VMware_Perl_API.pdf](#) - [Similar pages](#)

[VMware ESX Server 2.1.3 Release Notes](#)

If, after **changing** these **settings**, you are still unable to open the VMware ... **Setting** the DiskMaxLUN **Configuration Setting** Greater than 8 in an IBM x120 ...

[www.vmware.com/support/esx21/doc/releasenotes_esx213.html](#) - [Similar pages](#)

[PDF] [U' R](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

configuration setting and **reboot** your system. ... **change** the **Host Adapter** speed to 2 Gigabit. FCSelect **Settings**. The following **settings** display information ...

[download.adaptec.com/pdfs/user_guides/afc_9210_ug.pdf](#) - [Similar pages](#)

[Linux PCMCIA HOWTO David Hinds, dhinds@hyper.stanford.edu v1.106 ...](#)

Also, do not try to **change** the IO port and interrupt **settings** of a ... When a new SCSI **host adapter** is detected, the SCSI drivers will probe for devices. ...

[slackware.osuosl.org/slackware-3.4/docs/PCMCIA-HOWTO](#) - 88k - [Cached](#) - [Similar pages](#)

[Linux PCMCIA HOWTO David Hinds, dhinds@hyper.stanford.edu v2.5, 19 ...](#)

Also, do not try to **change** the IO port and interrupt **settings** of a PCMCIA serial device ...

Writing Card Services drivers for new cards The Linux PCMCIA ...

[slackware.osuosl.org/slackware-3.5/docs/PCMCIA-HOWTO](#) - 100k -

[Cached](#) - [Similar pages](#)

Linux PCMCIA HOWTO

For the Sycard PCChost1200 **host adapter**, the i82365 driver requires a ... Also, do not try to **change** the IO port and interrupt **settings** of a serial device ...

www.faqs.org/docs/Linux-HOWTO/PCMCIA-HOWTO.html - 163k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	819	adaptec:as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:49
L2	21	1 and graphical near3 interface and configuration and adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:50
L3	2057	715/762,763,771,735;717/120,174.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:50
L4	0	3 and configur\$4 and settings same paramer\$4 and host near adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:51
L5	1	1 and reboot\$4 and saving and writing and reading	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:53
L6	0	reboot\$4 with computer same saving same writing same reading	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:54
L7	9	reboot\$4 with computer same writing same reading	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:57
L8	81	reboot\$4 with computer same writ\$4 same read\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:58
L9	60	reboot\$4 with computer same writ\$4 with read\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 10:59
L10	9	reboot\$4 with computer with writ\$4 with read\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 11:01
L11	1	writ\$4 with read\$4 with (when during while) with reboot\$4 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/05 11:02
L12	0	(writ\$4 with read\$4 with (when during while) with reboot\$4 with computer).CLM.	US-PGPUB; USPAT	OR	ON	2006/06/05 11:02

EAST Search History (.CLM.)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	0	(writ\$4 with read\$4 with (when during while) with reboot\$4 with computer).CLM.	US-PGPUB; USPAT	OR	ON	2006/06/05 11:02
L13	0	(writ\$4 with read\$4 same (when during while) with reboot\$4 with computer).CLM.	US-PGPUB; USPAT	OR	ON	2006/06/05 11:03